

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 1 475 094 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:

10.11.2004 Bulletin 2004/46

(51) Int Cl.⁷: **A61K 31/505**, C07D 487/04// (C07D487/04, 239:00,
231:00)(21) Application number: **03010184.4**(22) Date of filing: **06.05.2003**

(84) Designated Contracting States:

**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HU IE IT LI LU MC NL PT RO SE SI SK TR**

Designated Extension States:

AL LT LV MK(71) Applicant: **Ustav Experimentální Botaniky****Akademie věd České republiky****160 00 Praha 6 (CZ)**

(72) Inventors:

- **Moravcova, Daniela**
34101 Horzovice (CZ)
- **Havlicek, Libor**
14104 Praha 4 (CZ)
- **Krystof, Vladimir**
70200 Ostrava (CZ)
- **Lenobel, Rene**
73802 Frydek Mistek (CZ)

• **Binarova, Pavla**

77200 Olomouc (CZ)

• **Mlejnek, Petra**

60200 Brno (CZ)

• **Vojtesek, Borek**

66442 Modrice (CZ)

• **Uldrijan, Stjepan**

62100 Brno (CZ)

• **Schmülling, Thomas**


14052 Berlin (DE)

• **Strnad, Miroslav**

77900 Olomouc (CZ)

(74) Representative: **Grünecker, Kinkeldey,****Stockmair & Schwanhäusser Anwaltssozietät****Maximilianstrasse 58****80538 München (DE)**(54) **Pyrazolo[4,3-D]pyrimidines, process for their preparation and methods of use**

(57) The invention relates to 3-, 7-disubstituted pyrazolo[4,3-d]pyrimidines represented by the general formula I



and pharmaceutically acceptable salts thereof, wherein **R3** is selected from the group consisting of alkyl, cycloalkyl, cycloalkyl alkyl, cycloheteroalkyl alkyl, cycloheteroalkyl, aryl, heterocycle, heteroaryl, arylalkyl, heteroarylalkyl, and heteroalkyl, wherein each of the groups may optionally be substituted, **R7** is selected from the group consisting of halogen, hy-

droxyl, hydroxylamino, amino, carboxyl, cyano, nitro, amido, sulfo, sulfamido, carbamino, unsubstituted or substituted alkyl, substituted or unsubstituted cycloalkyl, substituted or unsubstituted arylalkyl, substituted or unsubstituted heteroalkyl, substituted or unsubstituted heteroarylalkyl, substituted or unsubstituted cycloalkyl alkyl, substituted or unsubstituted cycloheteroalkyl alkyl;

R7'-X- wherein **X** is an -NH-, -N(alkyl)-, -O- or -S- moiety and

R7' is selected from the group consisting of H, alkyl, cycloalkyl, aryl, alkylcycloalkyl, arylalkyl, heterocycle, heterocyclealkyl, substituted alkyl, substituted cycloalkyl, substituted aryl, substituted arylalkyl, substituted heterocycle, substituted heteroaryl, substituted heteroarylalkyl, substituted heteroalkyl, substituted cycloalkyl alkyl and substituted cycloheteroalkyl alkyl,

wherein the groups are preferably substituted by more than one halogen, hydroxyl, amino, mercapto, carboxyl, cyano, nitro, amido, sulfo, sulfamido, carbamino, alkyl, alkoxy, and substituted alkyl group

EP 1 475 094 A1

