

(12)

(21) **2 480 409**

(22) **27.03.2003**

(51) Int. Cl. 7: **C07D 487/04**, C07D 231/00,
C07D 239/00, A61L 29/00,
A61P 35/00, A61P 31/12,
A61K 31/519

(85) **24.09.2004**

(86) **PCT/EP03/003207**

(87) **WO03/082872**

(30) **02007163.5 EP 28.03.2002**

(71) **USTAV EXPERIMENTALNI BOTANIKY AV CR**
(INSTITUTE OF EXPERIMENTAL BOTANY AC,
Rozvojova 135
160 00, PRAHA, XX (CZ).

(72) **LENOBEL, RENE (CZ).**
STRNAD, MIROSLAV (CZ).
MORAVCOVA, DANIELA (CZ).
HAVLICEK, LIBOR (CZ).
KRYSTOF, VLADIMIR (CZ).

(74) **ROBIC**

(54) **NOUVEAUX PYRAZOLO[4,3-D]PYRIMIDINES, PROCEDES POUR LEUR PREPARATION ET METHODES POUR UNE THERAPIE**

(54) **NOVEL PYRAZOLO[4,3-D]PYRIMIDINES, PROCESSES FOR THEIR PREPARATION AND METHODS FOR THERAPY**

(57)

The invention relates to 3-, 5-, 7-trisubstituted pyrazolo[4,3-d]pyrimidines represented by the general formula (I), and pharmaceutically acceptable salts thereof, wherein, R3 is an optionally substituted alkyl, cycloalkyl, cycloheteroalkyl, cycloalkyl alkyl, aryl or alkylaryl group; R5 is halogen, -NHNH2, -NHOH, NHCONH2, guanylo (NH-C(NH)NH2) an optionally substituted C1-C6 alkyl, alkenyl, alkynyl, C3-C15 cycloalkyl, Rf (C3-C15 cycloalkyl), heterocycle, heteroalkyl, aryl, heteroaryl, arylalkyl, cycloheteroalkyl, cycloheteroalkyl alkyl, heteroarylalkyl group, the group -C(O)-Ra, -C(O)NRbRc -SO3Rd, or -NHC(O)Re, wherein Ra and Rf are an optionally substituted C1-C6 alkyl, alkenyl, or alkynyl group, Rb, Rc and Rd are independently selected from the group consisting of H, optionally substituted C1-C6 alkyl, alkenyl, or alkynyl group, and Re is a hydroxy, amino, alkoxy, alkylamino, optionally substituted C1-C6 alkyl, alkenyl or alkynyl group; or the group -X-R5', wherein X is -NH-, -O-, -S- or -N(alkyl)- and R5' is hydrogen, an optionally substituted C1-C6 alkyl, alkenyl, alkynyl, C3-C15 cycloalkyl, Rf(C3-C15 cycloalkyl), aryl, heterocycle, hetero C1-C6 alkyl, arylalkyl, heteroaryl, cycloheteroalkyl, cycloheteroalkyl alkyl, or heteroarylalkyl group, the group -C(O)-Ra, -C(O)NRbRc, -SO3Rd, or -NHC(O)Re, wherein Ra, Rb, Rc, Rd, Re and Rf have the above meaning, and R7 is halogen, -NHNH2, NHOH, NHCONH2, guanylo (NH-C(NH)NH2) or the group -X-R7, wherein X has the above meaning and the meaning of R7, is as defined for R5'.



